

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/816,562	04/01/2004	Chih-Hsin Ko	24061.176 (TSMC2003-1247)		
42717	7590 06/01/2005		EXAMINER		
HAYNES AND BOONE, LLP 901 MAIN STREET, SUITE 3100			DIAZ, J	OSE R	
DALLAS, T			ART UNIT	PAPER NUMBER	
,			2815	2815	

DATE MAILED: 06/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	1					
	Application No.	Applicant(s)				
	10/816,562 .	KO ET AL.				
Office Action Summary	Examiner	Art Unit				
	José R. Díaz	2815				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	rely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>01 A</u>	oril 2004.					
	·					
3) Since this application is in condition for allowar	·—					
Disposition of Claims						
4) ☐ Claim(s) 1-38 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-38 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on <u>01 April 2004</u> is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	☑ accepted or b)☐ objected to I drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati nty documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

Art Unit: 2815

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-7, 13-19, and 25-33 are rejected under 35 U.S.C. 102(b) as being anticipated by Yoshikawa et al. (US Pat. No. 5,384,473).

Regarding claims 1 and 27, Yoshikawa et al. teaches a microelectronic device, comprising:

a first semiconductor substrate (10) bonded to a second semiconductor substrate (12) [see fig. 3A], the first semiconductor substrate (10) including an opening (18) [see fig. 3C] through which an epitaxially grown portion (52) of the second semiconductor substrate extends [see fig. 3E];

a first semiconductor device (26) coupled to the first semiconductor substrate (10) [see fig. 3G]; and

a second semiconductor device (28) coupled to the epitaxially grown portion (52) of the second semiconductor substrate [see fig. 3G].

In addition and with regards to claim 27, Yoshikawa et al. teaches the formation of a plurality of openings [col. 2, lines 3-4 and abstract], and a plurality of PMOS and NMOS devices on the corresponding oriented substrates [col. 4, lines 2-6]. Furthermore, Yoshikawa teaches that a dielectric sidewall spacer (50) is included in

Art Unit: 2815

each opening (18) [see fig. 3D].

Regarding claims 2, 14 and 28, Yoshikawa et al. further teaches that the first semiconductor device (26) comprises a p-type transistor and the second semiconductor device (28) comprises an n-type transistor [In column 12, lines 60-64, Yoshikawa et al. teaches that it is possible to reverse the surface orientation of the substrate 10 and 12 such that the substrate (10) is formed having a (110) surface orientation and the substrate (12) is formed having a (100) surface orientation. In addition, Yosikawa et al. teaches a preferred embodiment in which NMOS devices (26) are formed on the (100) oriented substrate and PMOS devices (28) are formed on the (110) oriented substrate (Fig. 3G, col. 4, lines 3-9 and 43-47 and col. 5, lines 33-34 -95). Thus, in this embodiment, NMOS devices are formed on the second substrate (12) having the (100) surface orientation and PMOS devices are formed on the first substrate (10) having the (110) surface orientation].

Regarding claims 3, 15 and 29, Yoshikawa et al. teaches that the first semiconductor device (26) comprises an n-type transistor (NMOS) and the second semiconductor device (28) comprises a p-type transistor (PMOS) [col. 5, lines 33-34].

Regarding claims 4, 16 and 30, Yoshikawa et al. further teaches that the first and second semiconductor substrates (10,12) have different crystallographic orientations (110 and 100) [see fig. 3A].

Regarding claims 5, 17 and 31, Yoshikawa et al. further teaches that the first semiconductor substrate (10) has a (1,1,0) crystallographic orientation and the second semiconductor substrate (12) has a (1,0,0) crystallographic orientation [col. 6, lines 60-

Art Unit: 2815

64].

Regarding claims 6, 18 and 32, Yoshikawa et al. further teaches that the first semiconductor substrate (10) has a (1,0,0) crystallographic orientation and the second semiconductor substrate (12) has a (1,1,0) crystallographic orientation [see fig. 3A].

Regarding claims 7 and 33, Yoshikawa et al. further teaches a dielectric film (50) interposing a sidewall of the opening (18) and the epitaxially grown portion (52) of the second semiconductor substrate [see fig. 3E].

Regarding claim 13, Yoshikawa et al. further teaches a method of manufacturing a microelectronic device, comprising:

coupling a first semiconductor substrate (10) to a second semiconductor substrate (12) [see fig. 3A];

patterning an opening (18) in the first semiconductor substrate (10) [see fig. 3C]; growing epitaxially an extension of the second semiconductor substrate (52) through the opening (18) [see fig. 3E);

forming a first semiconductor device (26) on the first semiconductor substrate (10) [see fig. 3G]; and

forming a second semiconductor device (28) on the extension of the second semiconductor substrate (52) [see fig. 3G].

Regarding claim 19, Yoshikawa et al. further teaches forming a dielectric film (50) on the first semiconductor substrate (10) opposite the second semiconductor substrate (12) [please note that the sidewall 50 is formed by forming a dielectric film over the substrates 10 and 12. See col. 4, line 68 and col. 5, line 1] and one at least a portion

Art Unit: 2815

(50) of a surface of the opening (18) before epitaxially growing the extension of the second semiconductor substrate (52) [see fig. 3D].

Regarding claims 25 and 26, Yoshikawa et al. further teaches that coupling the first semiconductor substrate (10) to the second semiconductor substrate (12) includes bonding the first semiconductor substrate to the second semiconductor substrate [see figs. 3A-3B].

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 5. Claims 8-12, 20-24, and 34-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshikawa et al. (US Pat. No. 5,384,473) in view of Furukawa et al. (US Pat. No. 6,555,891 B1).

Art Unit: 2815

Regarding claims 8-12, 20-24 and 34, Yoshikawa et al. fails to teach the following limitations:

an oxide layer interposing the first semiconductor substrate and a bulk portion of the second semiconductor substrate, the opening also extending through the oxide layer;

a silicon dioxide layer interposing the first semiconductor substrate and a bulk portion of the second semiconductor substrate, the opening also extending through the silicon dioxide layer;

an implanted oxide layer interposing the first semiconductor substrate and a bulk portion of the second semiconductor substrate, the opening also extending through the implanted oxide layer;

the first semiconductor substrate is a silicon-on-insulator substrate;

a shallow trench isolation interposing a sidewall of the opening and the epitaxially grown portion of the second semiconductor substrate, the shallow trench isolation spanning the thickness of the first semiconductor substrate and extending into the second semiconductor substrate; and

planarizing the first semiconductor substrate, the dielectric film, and the extension of the second semiconductor substrate to form a substantially planar surface collectively therefrom, wherein planarizing includes substantially removing all of the dielectric film not located in the opening.

.However and with regards to claims 9-10, 12, 23-24, 35-36 and 38, Furukawa et al. teaches that it is well known in the art to form use a substrate comprising a silicon-

Art Unit: 2815

on-insulator (SOI) layer (14) on a bulk semiconductor substrate (12), wherein the SOI layer (14) includes a silicon layer (15) on a silicon oxide layer (16), which is formed on the bulk semiconductor substrate (12) [see fig. 1]. Thus, Furukawa makes obvious the limitation of forming an oxide layer (e.g. silicon dioxide) interposed between the first semiconductor layer and the bulk portion, e.g. to use a SOI substrate.

With regards to the opening, Furukawa further teaches that it is well known in the art to form an opening (10) in the SOI layer, which extends through the oxide layer (16) (see fig. 3).

With regards to the shallow trench isolation as recited in claims 8, 22 and 34, Furukawa teaches a shallow trench isolation (consider the isolation structure 22) interposing a sidewall of the opening (20) and the epitaxially grown portion of the second semiconductor substrate (24) [see fig. 6], the shallow trench isolation (22) spanning the thickness of the first semiconductor substrate (14) and extending into the second semiconductor substrate (12) [see fig. 6].

With regards to the implanted oxide layer as recited in claims 11, 24 and 37, Furukawa further teaches that it is well known in the art to form the oxide layer (16) by implantation of oxygen (col. 3, lines 14-21).

With regards to the planarization step as recited in claims 20-21, Furukawa further teaches that it is well known in the art to planarize the first semiconductor substrate (14), the dielectric film (22), and the extension of the second semiconductor substrate (24) to form a substantially planar surface collectively therefrom and to substantially remove all of the dielectric film (22) not located in the opening (see figs. 5-

Art Unit: 2815

6 and col. 5, lines 2-5).

Yoshikawa et al. and Furukawa are analogous art because they are from the same field of endeavor as applicant's invention. At the time of the invention it would have been obvious to a person of ordinary skill in the art to include the limitations of: an oxide layer interposing the first semiconductor substrate and a bulk portion of the second semiconductor substrate, the opening also extending through the oxide layer; a silicon dioxide layer interposing the first semiconductor substrate and a bulk portion of the second semiconductor substrate, the opening also extending through the silicon dioxide layer; an implanted oxide layer interposing the first semiconductor substrate and a bulk portion of the second semiconductor substrate, the opening also extending through the implanted oxide layer; the first semiconductor substrate is a silicon-oninsulator substrate; and planarizing the first semiconductor substrate, the dielectric film, and the extension of the second semiconductor substrate to form a substantially planar surface collectively therefrom, wherein planarizing includes substantially removing all of the dielectric film not located in the opening; and to form a shallow trench isolation interposing a sidewall of the opening and the epitaxially grown portion of the second semiconductor substrate, the shallow trench isolation spanning the thickness of the first semiconductor substrate and extending into the second semiconductor substrate.

The motivation for doing so is to reduce leakage current and parasitic capacity. Therefore, it would have been obvious to combine Furukawa with Yoshikawa et al. to obtain the invention of claims 8-12, 20-24, and 34-38.

Art Unit: 2815

Correspondence

Page 9

Any inquiry concerning this communication or earlier communications from the examiner should be directed to José R. Díaz whose telephone number is (571) 272-1727. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Thomas can be reached on (571) 272-1664. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

José R. Díaz Examiner

> 5/20/05

Art Unit 2815